A 9.8:23/cont.+Ind.

TECHNICAL SERIES, No. 23.

U. S. DEPARTMENT OF AGRICULTURE,
BUREAU OF ENTOMOLOGY.
L. O. HOWARD, Entomologist and Chief of Bureau.

MISCELLANEOUS PAPERS.

CONTENTS AND INDEX.

UNIV OF FL LIB
DOCUMENTS DEPT
U.S DEPOSITORY

ISSUED JUNE 22, 1915.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1915.

Digitized by the Internet Archive
in 2012 with funding from
University of Florida, George A. Smathers Libraries with support from LYRASIS and the Sloan Foundation

http://archive.org/details/mispap00unit

TECHNICAL SERIES, No. 23.

U. S. DEPARTMENT OF AGRICULTURE,
BUREAU OF ENTOMOLOGY.
L. O. HOWARD, Entomologist and Chief of Bureau.

MISCELLANEOUS PAPERS.

I. SOME NEW CALIFORNIA AND GEORGIA THYSANOPTERA.

By PAUL R. JONES, *Entomological Assistant, Deciduous Fruit Insect Investigations.*

II. AN INTERNAL PARASITE OF THYSANOPTERA.

By H. M. RUSSELL, *Entomological Assistant.*

ISSUED JUNE 22, 1915.



WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1915.

BUREAU OF ENTOMOLOGY.

L. O. HOWARD, *Entomologist and Chief of Bureau.*
C. L. MARLATT, *Entomologist and Acting Chief in Absence of Chief.*
E. B. O'LEARY, *Chief Clerk and Executive Assistant.*

F. H. CHITTENDEN, *in charge of truck crop and stored product insect investigations.*
A. D. HOPKINS, *in charge of forest insect investigations.*
W. D. HUNTER, *in charge of southern field crop insect investigations.*
F. M. WEBSTER, *in charge of cereal and forage insect investigations.*
A. L. QUAINTANCE, *in charge of deciduous fruit insect investigations.*
E. F. PHILLIPS, *in charge of bee culture.*
A. F. BURGESS, *in charge of gipsy moth and brown-tail moth investigations.*
ROLLA P. CURRIE, *in charge of editorial work.*
MABEL COLCORD, *in charge of library.*

CONTENTS.

	Page.
Some new California and Georgia Thysanoptera.....*Paul R. Jones*..	1
Introduction.....	1
Genus *Æolothrips*.....	1
Key to the species.....	1
Description of new species.....	2
Æolothrips nasturtii.....	2
Genus *Thrips*.....	3
Key to the species.....	3
Description of new species.....	4
Thrips femoralis.....	4
Genus *Sericothrips*.....	5
Key to the species.....	5
Description of new forms and species.....	6
Sericothrips apteris Daniel, male.....	6
Sericothrips albus.....	6
Sericothrips moultoni.....	7
Genus *Limothrips*.....	8
Key to the species.....	8
Description of new species.....	8
Limothrips setariæ.....	8
Genus *Euthrips*.....	10
Key to the species.....	10
Description of new forms and species.....	12
Euthrips ehrhornii Moulton, male, brachypterous female.....	12
Euthrips longirostrum.....	12
Euthrips costalis.....	13
Genus *Anaphothrips*.....	14
Key to the species.....	14
Description of new forms and species.....	15
Anaphothrips zeæ Moulton, brachypterous female, male.....	15
Anaphothrips albus.....	16
Genus *Anthothrips*.....	17
Key to the species.....	17
Description of new species.....	17
Anthothrips nigricornis.....	17
Anthothrips flavipes.....	18
Genus *Cryptothrips*.....	19
Key to the species.....	19
Description of new species.....	20
Cryptothrips salicis.....	20
Genus *Phlœothrips*.....	21
Key to the species.....	21
Description of new species.....	21
Phlœothrips jennei.....	21
Phlœothrips armiger.....	23

96757—15

Page.
An internal parasite of Thysanoptera ..... *H. M. Russell*.. 25
Introduction 25
History of the discovery 26
Classification and original description 27
Life-history summary of the original host (*Heliothrips fasciatus* Pergande).. 28
Methods of collecting for evidence of parasitism 28
Methods of rearing parasites for life-history study 29
Stage of thrips showing parasitism 30
Appearance of parasitized prepupæ 30
Behavior of parasitized thrips 31
Time between first indication of parasitism and formation of parasite pupæ under laboratory conditions 31
Effect of cold on parasitized prepupæ 31
The pupa of the parasite 31
Formation 31
Description 32
Length of pupal stage 33
Effect of cold on pupal stage 33
The adult parasite 33
Emergence 33
Description of newly emerged, live adult 34
Relation and proportion of sexes 35
Parthenogenesis 35
Method and period of oviposition 36
Habits in the open 38
Effect of oviposition in different stages of host 38
Number of eggs and length of oviposition period 38
Double parasitism 39
Activity 39
Flight 40
Sight 40
Behavior on different kinds of leaf surfaces 40
Host relations 41
Heliothrips fasciatus Pergande 41
Thrips tabaci Lindeman 41
Euthrips tritici Fitch 42
Heliothrips hæmorrhoidalis Bouché 42
Heliothrips femoralis Reuter 42
Miscellaneous observations 43
Summary of experiments to determine host relations 43
Length of life in confinement 43
Causes of mortality in the open 44
Effect of oviposition in different ages of host larvæ 44
Life history 44
Length of time from oviposition to first indication of parasitism 45
Length of time from oviposition to pupation of the parasite 45
Length of life cycle 46
First appearance in the spring 47
Last appearance in the fall 47
Number of generations 47
Hibernation 47
Occurrence 48
Distribution 48
Percentage of parasitism in different localities 49
Means of colonizing the parasite 51
Index 53

ILLUSTRATIONS.

PLATES.

		Page.
Plate I. Fig.	1.—*Æolothrips nasturtii:* Head and prothorax of female	4
	2.—*Æolothrips nasturtii:* Right fore wing of female	4
	3.—*Æolothrips nasturii:* Right antenna of female	4
	4.—*Æolothrips nasturtii:* End of abdomen of female	4
	5.—*Thrips femoralis:* Head and prothorax of female	4
	6.—*Thrips femoralis:* Left antenna of female	4
	7.—*Thrips femoralis:* Right fore wing of female	4
	8.—*Thrips femoralis:* End of abdomen of female	4
II. Fig.	1.—*Sericothrips apteris:* End of abdomen of male	8
	2.—*Sericothrips albus:* Head and prothorax of female	8
	3.—*Sericothrips albus:* Right antenna of female	8
	4.—*Sericothrips albus:* Right fore wing of female	8
	5.—*Sericothrips albus:* End of abdomen of female	8
	6.—*Sericothrips moultoni:* Head and prothorax of female	8
	7.—*Sericothrips moultoni:* Right antenna of female	8
	8.—*Sericothrips moultoni:* Right fore wing of female	8
	9.—*Sericothrips moultoni:* End of abdomen of female	8
III. Fig.	1.—*Limothrips setariæ:* Head and prothorax of female	8
	2.—*Limothrips setariæ:* Left antenna of female	8
	3.—*Limothrips setariæ:* Right fore wing of female	8
	4.—*Limothrips setariæ:* End of abdomen of female	8
	5.—*Limothrips setariæ:* End of abdomen of male	8
	6.—*Euthrips longirostrum:* Head and prothorax of female	8
	7.—*Euthrips longirostrum:* Left antenna of female	8
	8.—*Euthrips longirostrum:* Right fore wing of female	8
	9.—*Euthrips longirostrum:* End of abdomen of female	8
IV. Fig.	1.—*Euthrips costalis:* Head and prothorax of female	16
	2.—*Euthrips costalis:* Right antenna of female	16
	3.—*Euthrips costalis:* Right fore wing of female	16
	4.—*Euthrips costalis:* End of abdomen of female	16
	5.—*Anaphothrips albus:* Head and prothorax of female	16
	6.—*Anaphothrips albus:* Right antenna of female	16
	7.—*Anaphothrips albus:* Right fore wing of female	16
	8.—*Anaphothrips albus:* End of abdomen of female	16
V. Fig.	1.—*Anthothrips nigricornis:* Head and prothorax of female	20
	2.—*Anthothrips nigricornis:* Right antenna of female	20
	3.—*Anthothrips nigricornis:* Left fore leg of male	20
	4.—*Anthothrips nigricornis:* End of abdomen of female	20
	5.—*Anthothrips flavipes:* Head and prothorax of female	20
	6.—*Anthothrips flavipes:* Right antenna of female	20
	7.—*Anthothrips flavipes:* End of abdomen of female	20

Page.

PLATE VI. FIG. 1.—*Cryptothrips salicis:* Head and prothorax of female 20
2.—*Cryptothrips salicis:* Left antenna of female 20
3.—*Cryptothrips salicis:* End of abdomen of female 20
4.—*Phlœothrips jennei:* Head and prothorax of female 20
5.—*Phlœothrips jennei:* Right antenna of female 20
6.—*Phlœothrips jennei:* End of abdomen of female 20
VII. FIG. 1.—*Phlœothrips armiger:* Head and prothorax of male 20
2.—*Phlœothrips armiger:* Right antenna of male 20
3.—*Phlœothrips armiger:* Left fore leg of male 20
4.—*Phlœothrips armiger:* End of abdomen of male 20

TEXT FIGURES.

FIG. 1. Vials used for the study of thrips parasites 29
2. Cage for rearing parasites 30
3. Parasitized prepupæ of *Heliothrips fasciatus* 31
4. Diagram illustrating length of time from appearance of parasitism to formation of parasite pupæ of *Thripoctenus russelli*, July–October, 1911 32
5. *Thripoctenus russelli:* Pupa, ventral view 33
6. Diagram illustrating length of pupal stage in 146 individuals of *Thripoctenus russelli* 34
7. *Thripoctenus russelli:* Adult 35
8. Diagram illustrating length of time from oviposition to first evidence of parasitism for 353 individuals of *Thripoctenus russelli* 47
9. Diagram illustrating length of time from oviposition to pupation for 241 individuals of *Thripoctenus russelli* 48
10. Diagram illustrating total number of days in the life cycle of *Thripoctenus russelli;* summary of all rearing experiments 49
11. Mailing tubes used in shipment of thrips parasites 51

INDEX.

	Page.
Æolothrips—	
bicolor in key to species	1
fasciatus in key to species	1
key to species	1
kuwanaii in key to species	1
longiceps in key to species	1
nasturtii in key to species	1
nasturtii new species, description	2–3
vespiformis in key to species	1
Æsculus californica—	
food plant of *Euthrips costalis*	14
food plant of *Limothrips setariæ*	9
Anaphothrips—	
albus in key to species	15
albus new species, description	16–17
key to species	14–15
longipennis in key to species	15
obscurus in key to species, *Anaphothrips striatus* a synonym	14
ruthveni in key to species	15
tricolor in key to species	15
zeæ, female short-winged form, and male, description	15–16
zeæ in key to species	15
Anthothrips—	
aculeatus, resemblance of *Anthothrips flavipes* thereto	19
flavipes in key to species	17
flavipes new species, description	18–19
key to species	17
niger in key to species	17
nigricornis in key to species	17
nigricornis new species, description	17–18
variabilis in key to species	17
verbasci in key to species	17
Aphis brassicæ, not host of *Thripoctenus russelli*	43
Aptinothrips rufus, resemblance of *Anaphothrips zeæ* thereto	15
Bean, lima, *Thripoctenus russelli* found on leaf	48
Buckeye, California. (See *Æsculus californica*.)	
Cabbage aphis. (See *Aphis brassicæ*.)	
Colonizing thrips parasite, *Thripoctenus russelli*, means	51–52
Cress, water. (See *Nasturtium officinale*.)	
Cryptothrips—	
angustus, resemblance of *Cryptothrips salicis* thereto	21
californicus in key to species	19
carbonarius in key to species	19
key to species	19
rectangularis in key to species	19
salicis in key to species	19
salicis, new species, description	20–21
Elderberry. (See *Sambucus* sp.)	

Page.
Eriogonum nudum, food plant of *Anthothrips nigricornis* 18
Euthrips—
albus in key to species 10
cephalicus in key to species 11
cephalicus var. *reticulatus* in key to species 11
citri in key to species 10
costalis in key to species 10
costalis, new species, description 13–14
ehrhornii in key to species 11
ehrhornii, male, description 12
fuscus in key to species 11
helianthi in key to species 11
insularis in key to species 11
key to species 10–12
longipennis in key to species 10
longirostrum in key to species 11
longirostrum, new species, description 12–13
minutus in key to species 11
nervosus in key to species 11
occidentalis in key to species 12
orchidii in key to species 10
pyri in key to species 10
tritici, host of *Thripoctenus russelli* 30, 32, 37, 42, 43
tritici in key to species 12
tritici var. *californicus* in key to species 12
ulicis californicus in key to species 11
Goldenrod. (See *Solidago* sp.)
Grass—
food plants of *Sericothrips apteris* 6
green foxtail. (See *Setaria viridis*.)
Heliothrips—
fasciatus, host of *Thripoctenus russelli* 25, 26, 27, 28, 30, 32, 36, 37, 38, 41, 43, 48, 49, 50
fasciatus, life-history summary 28
fasciatus on *Nicotiana glauca* 48
femoralis, host of *Thripoctenus russelli*, experiments 42–43
hæmorrhoidalis, host of *Thripoctenus russelli*, experiments 42, 44
Jones, Paul R., paper, "Some New California and Georgia Thysanoptera" .. 1–24
Lactuca scariola, *Thripoctenus russelli* found on leaf 48
Laurel leaf gall, food of *Phlœothrips armiger* 24
Limothrips—
avenæ=*Limothrips cerealium* 8, 9
cerealium in key to species, *Limothrips avenæ* a synonym 8
key to species 8
setariæ in key to species 8
setariæ, new species, description 8–10
Lupine, perennial—
food plant of *Euthrips longirostrum* 12–13
food plant of *Sericothrips moultoni* 8
Mimulus sp., food plant of *Anaphothrips albus* 17
Monkey flower. (See *Mimulus* sp.)
Nasturtium officinale, food plant of *Æolothrips nasturtii* 3
Nicotiana glauca, food plant of *Heliothrips fasciatus* 48

Page.
Oats, wild, food plant of *Limothrips setariæ* 9
Olive thrips. (See *Phlœothrips oleæ*.)
Parthenogenesis in *Thripoctenus russelli* 35–36
Peach, food plant of *Phlœothrips jennei* 22
Pezomachus thripites, parasite of thrips on wheat 25
Phlœothrips—
armiger in key to species 21
armiger, new species, description 23–24
jennei in key to species 21
jennei, new species, description 21–22
key to species 21
maculatus in key to species 21
minor, resemblance of *Phlœothrips jennei* thereto 22
oleæ, chalcidid parasite thereof 25
pergandei in key to species 21
raptor in key to species 21
uzeli in key to species 21
Rearing and studying thrips parasites, methods 28–29
Russell, H. M., paper, "An Internal Parasite of Thysanoptera" 25–52
Sambucus sp., food plant of *Sericothrips albus* 7
Scirtothrips—
ruthveni=*Anaphothrips ruthveni* 15
status of genus 15
Sericothrips—
albus in key to species 5
albus, new species, description 6–7
apteris in key to species 5
apteris, male, description 6
cingulatus in key to species 5
key to species 5
moultoni in key to species 5
moultoni, new species, description 7–8
pulchellus in key to species 5
reticulatus in key to species 5
stanfordii in key to species 5
variabilis in key to species 5
Setaria viridis, food plant of *Limothrips setariæ* 9
Solidago sp., food plant of *Thrips femoralis* 5
Sonchus oleraceus, food plant of bean thrips 48
Sonchus oleraceus, *Thripoctenus russelli* found on leaf 48
Spider web, *Thripoctenus russelli* caught therein 44
Tetranychus?, oviposition therein by *Thripoctenus russelli* in experiment 43
Tetrastichus gentilii, parasite of *Phlœothrips oleæ* 25–26
Thripoctenus russelli—
activity 39–40
adult, emergence 33–34
adult, newly emerged, description 34
appearance of thrips prepupæ parasitized thereby 30
behavior of parasitized thrips 31
behavior on different kinds of leaf surfaces 40–41
causes of mortality in the open 44
classification 27–28
colonization, means 51–52

Thripoctenus russelli—Continued. Page.
description, original ... 27–28
distribution ... 48–49
effect of cold on prepupæ of thrips parasitized thereby ... 31
effect of oviposition in different ages of host larvæ ... 44
eggs, number ... 38–39
first appearance in spring ... 47
flight ... 40
generations, number ... 47
habits in open ... 38
hibernation ... 47–48
history of discovery ... 26–27
host relations ... 41–43
last appearance in fall ... 47
length of life cycle ... 46–47
length of life in confinement ... 43–44
length of time from oviposition to first indication of parasitism ... 45
length of time from oviposition to pupation of parasite ... 45
life cycle, length ... 46–47
life history ... 44–48
life-history summary of original host, *Heliothrips fasciatus* ... 28
methods of collecting thrips for evidence of parasitism ... 28–29
occurrence ... 48
oviposition, effect in different stages of host ... 38
oviposition method and period ... 36–37
oviposition period, length ... 38–39
paper ... 25–52
parasitism, double ... 39
parasitism, percentage ... 49–50
parthenogenesis ... 35–36
pupa, description ... 32
pupa, formation ... 31–32
pupal stage, effect of cold thereon ... 33
pupal stage, length ... 33
rearing methods for life-history study ... 29–30
sexes, relation and proportion ... 35
sight ... 40
stage of thrips showing parasitism thereby ... 30
time between first indication of parasitism and formation of parasite pupæ under laboratory conditions ... 31

Thrips—
(See also Thysanoptera.)
abdominalis in key to species ... 4
appearance of prepupæ parasitized by *Thripoctenus russelli* ... 30
bean, on *Sonchus oleraceus* ... 48
behavior of those parasitized by *Thripoctenus russelli* ... 31
bremnerii in key to species ... 4
double parasitism by *Thripoctenus russelli* ... 39
effect of cold on prepupæ parasitized by *Thripoctenus russelli* ... 31
effect of oviposition by *Thripoctenus russelli* in different ages ... 44
effect of oviposition by *Thripoctenus russelli* in different stages ... 38
femoralis in key to species ... 4
femoralis, new species, description ... 4–5
key to species ... 3–4

Thrips—Continued. Page.
madronii in key to species 3
magnus in key to species 3
parasite, *Thripoctenus russelli*, means of colonization 51–52
perplexus in key to species 4
stage showing parasitism by *Thripoctenus russelli* 30
tabaci, host of *Thripoctenus russelli* 30, 32, 37, 38, 39, 41, 43, 46, 48
tabaci in key to species 4
time between first indication of parasitism by *Thripoctenus russelli* and formation of parasite pupæ under laboratory conditions 31
Thysanoptera—
an internal parasite, paper 25–52
new, from California and Georgia, paper 1–24
Trichothrips n. sp., not host of *Thripoctenus russelli* in experiments 43
Triphleps insidiosus—
enemy of *Thripoctenus russelli* 44
in experiment with *Thripoctenus russelli* 43
Turnips, *Thripoctenus russelli* found on foliage 48
Willow galls, food of *Cryptothrips salicis* 21
Winnemana 27

○

UNIVERSITY OF FLORIDA
3 1262 08928 8723